

SAN Cora[®]

WE COLOUR THE WORLD



Lemon fresh Fragrance

SILK@Guard *luxury & washable interior wall finish*



- Smooth High Sheen Finish
- Washable
- Lead & Mercury Free
- Excellent Coverage & Adhesion



Golden Bull Award 2008 & 2004
Malaysia 100 Outstanding SMEs

SILK@Guard

Lemon fresh Fragrance



Corallina SG 8600



e. orange SG 8004




Eu Jane SG 8831



e. pink SG 8002



Salmon Peach SG 8036



Moon SG 8438



Pink Posy SG 8899



Floral Peach SG 8435



Ruffles SG 8194



e. yellow SG 8001



Lemonade SG 8234



Ivory Palm SG 8811




Raw Silk SG 8434



Lily White SG 8151




Rose White SG 8115



Sundae SG 8025



Almond White SG 8193



Orchid White SG 8138



Autumn SG 8950



Ivory Vapor SG 8940

Also available in White SG 8102

The colours on this card are as close to actual paint colours as modern printing techniques will allow.

luxury & washable interior wall finish

Product Standard : W/SG/8000 Series

- Smooth High Sheen Finish
- Washable
- Lead & Mercury Free
- Excellent Coverage & Adhesion



Windsor **SG 8440**



e. purple **SG 8003**




Blue Emotion **SG 8222**




Candy Angel **SG 8447**



Soft Violet **SG 8146**




Blue Monday **SG 8246**




Pink Snow **SG 8446**




Patina **SG 8187**



Tinkerbell **SG 8186**



Green Tea **SG 8776**



Spring Green **SG 8910**



Aquamint **SG 8420**



Regatta **SG 8271**



Aqua White **SG 8270**



Milky Way **SG 8323**



Bluebell White **SG 8076**



Apple White **SG 8074**



Lilac White **SG 8425**

SANcora

For more Colour Scheme... Select from  ColorBank® Computerized Tinting System (More than 10,000 colours)



SILK@Guard
luxury & washable interior wall finish
 Product Standard : W/SG/8000 Series



DESCRIPTION

SANcora® SILK@Guard is a premium quality, highly durable, tough and washable decorative paint specially formulated to give a luxurious high sheen finish. It is suitable for all normal interior walls as well as ceiling surfaces. Ideal for areas where cleaning is a prerequisite e.g. kitchen, children's room, office partition, decorative glass fibre and fabric wall covering.

USAGE

For decorative and protection of walls, ceilings, plasters, brickwork and cement boards for a luxury decorative high sheen finish.

PACK SIZE

1 litre, 5 litres and 18 litres

COMPOSITION

Pigment	- Organic & Inorganic	Additives	- Thickener, Surface Active Agents & Fungicide
Extender	- Mineral Extender	Vehicle/Solvent	- Water
Binder	- Vinyl-Acrylic Copolymer		

TECHNICAL DATA

Texture	- Smooth High Sheen Finish	Opacity	- ≥ 85% (white base), other colours will vary.
Colour	- A wide range of colours. Please refer to SANcora ® SILK@Guard colour card (Special colour available upon request but subject to minimum batch size)	Gloss	- ≥ 20% (white base), other colours will vary.
Fineness	- ≤ 75 microns	pH	- 8.0 - 9.0
Specific Gravity	- 1.26 - 1.36 (Depending on colours)	Drying Time	- Surface Dry : ≤ 45 minutes. (Depending on temperature and humidity) Hard Dry : ≤ 2.5 hours. (Depending on temperature and humidity)
Viscosity	- 85 - 95 KU / 27°C	Recommended	- 2 hours
Theoretical Coverage	- Approx. 13 - 15 m ² / litre (Depending on surface evenness)	Recoating Time	- 2 hours
		Thinner/Cleaner	- Water

APPLICATION

Brush / Roller	- For normal use, thinning is not necessary. To assist application, can be thinned 5 - 10% by volume with water.	Airless Spray	- Thinning is not required. To assist application, can be thinned by 10 - 20% by volume with water.
Conventional Air Spray	- Thin 10 - 20% by volume with water and adjust to requirement.		

SURFACE PREPARATION

General/New

Surfaces must be sound, clean, dry and free from all defective or poorly adhering materials, dirt, grease or wax. To have better finish, rub down surface using suitable abrasive and dust off. For the best result, seal with one coat of appropriate **SANcora**® BLOCK@Guard (refer to Paint Guide)

Previously Painted

Remove all loose, defective and unstable paint film or powdery residue by brushing thoroughly and scraping. Repair minor defects and cracks with suitable filler.

PAINT GUIDE

Surface Condition	Primer - To Paint One Coat	Finishing - To Paint Two Coats
Powdery Surfaces / Alkaline / New Surfaces	SANcora ® BLOCK@Guard Hi-Performance Wall Sealer (Product Code : S/BG/1100)	SANcora ® SILK@Guard
Sound Surfaces / Previously Painted Surfaces	SANcora ® BLOCK@Guard Alkali Resistant Wall Sealer (Product Code : W/BG/1300)	SANcora ® SILK@Guard

PERSONAL PRECAUTIONS

The product may irritate eyes and skin. Avoid contact with eyes and skin. In case of eye contact, flush with clean water for at least 15 (fifteen) minutes and consult a physician immediately. Avoid breathing the vapour or mist. Wash skin thoroughly after contact. **DO NOT CONSUME.** Keep out of reach of children and unqualified personnel. Consult the Material Safety Data Sheet for complete product safety information.

SHELF LIFE

2 years at ambient temperature in unopened containers.


WARRANTIES

- **SANcora**® warrants that its products will conform and perform in accordance with the product specification sheets.
- **SANcora**® also warrants its products to be free from defects in material and manufacturing.
- **SANcora**®'s liability to the buyer or any third party for any loss or damage shall not exceed replacement cost, excluding freight and handling of material proven to be defective.
- **SANcora**® agrees to respond to claims of defective material, upon receipt of written notification and verification of product defects. Any claim must be made within 5 (five) days of the discovery of the defect. In no event shall the seller be liable for any consequential or incidental damage or loss of profit.
- **SANcora**® is not liable for variation in environment, application, colour or changes in procedure, which may cause unsatisfactory results.

For further information or if you have any inquiry about this product, please contact the Sales Department at the address below :-

THE MARK OF QUALITY

MS ISO 9001 : 2000 Quality Management Systems Certification By :-



Paint Manufacturer
SYARIKAT SANLAND PAINT INDUSTRIES SDN BHD (19733-T)

Paint Distributor
SANCORA PAINTS MARKETING SDN BHD (716878-P)
 Plot 52 & 53, Lorong Kilang 15, Tupai Light Industrial Area, 34000 Taiping, Perak, Malaysia.
 Tel : 605-806 8777 (8 lines) Fax : 605-807 4955
 Website : www.sancora.com Email: info@sancora.com